



The Light Shaping Company

1st March 2009		Pro-Generators	
Code		Description	List Price Ex Vat
901001	2 [New]	Pro-8a 1200 Air, with Sync Cable and Power cable	5190
901002	2 [New]	Pro-8a 2400 Air, with Sync Cable and Power cable	6490
900722		Pro-7a 1200 with Sync Cable and Power cable	3659
900723		Pro-7a 2400 with Sync Cable and Power cable	4631
900738		Pro-7s 1200 with Sync Cable and Power cable	3385
900739		Pro-7s 2400 with Sync Cable and Power cable	4205
900721		Pro-7b 1200 Generator Battery operated, incl. Multivoltage charger and Generator Sync cable	2485
900880		Pro-B2 1200 Generator Incl. Multivoltage charger and Sync cable	2910
900897		Pro-B2r 1200 Generator 433MHz Incl. Multivoltage charger, Sync cable, Radio receiver (EUR)	3190

Pro-Heads with UV-coated glass covers			
Code		Description	List Price Ex Vat
900709		ProHead Top performing light quality, dual lead technology fan cooled, incl. uncoated Flashtube, 250W halogen modelling Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Transport Cap, Stand Adapter, Handle and Lamp Cable 4 m. Max energy = 4800Ws For Pro-8, Pro-7a /s, Pro-B2 (max 250W) and D4 generators	995
300515		ProRing UV dual lead technology, incl. UV-coated Flashtube, Stand/Camera Adapter and Lamp Cable 4m. Max energy = 9600Ws/minute	785
300517		ProRing2 dual lead technology, incl UV-reduced Quartz Flashtube (for unlimited usage). Stand/camera adapter and lamp cable 4m, 200W modeling light.	1285
900725		Pro-B head UV, w/ Disc reflector for Pro-7b and Pro-B2, convection-cooled, incl. uncoated Flashtube, 100W Halogen lamp (max), Mini-can E11 socket, UV- coated removable frosted Glass Cover, Stand Adapter, Transport Cap, Lamp Cable 4m and Disc reflector	520
900782		Pro-B head UV Zoom reflector for Pro-7b and Pro-B2, convection-cooled, incl. uncoated Flashtube, 100W Halogen lamp (max), Mini-can E11 socket, UV- coated removable frosted Glass Cover, Stand Adapter, Transport Cap, Lamp Cable 4m and New Zoom reflector	565
900719		ProTwin UV Top performing light quality, dual lead technology, fan cooled, incl. two uncoated Flashtubes, 500W halogen Lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter, Handle and split Lamp Cable 4m. Max energy = 2x4800Ws	1680
900727		ProHead UV 500W Top performing light quality, dual lead technology, fan cooled, incl. uncoated Flashtube, 500W Halogen lamp, Mini- can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Transport Cap, Stand Adapter, Handle and Lamp Cable 4m. Max energy = 4800Ws For Pro-8, Pro-7a /s and D4 generators	1015

## Pro Accessories

341001	Stand Attachment for Telescopic Pole on 1200 (not 7b/B2) Flash Generator	48
341002	Stand Attachment for Telescopic Pole on Pro-6/7 2400 and ProStill Flash Generator	48
101075	Telescopic Pole for attachment to Pro-7a, Pro-7s, Pro-6, ProPack Flash Generator, 68/250cm, with Profoto snap-lock	77
100708	Transport Protective Cap for flash heads	8
100710	Protective Cap with locking ring for all Profoto Heads, extra strong (aluminium)	77
303518	Pro Lamp Extension Cable 5m	168
303519	Pro Lamp Extension Cable 10m	230
100709	Handle for ProHead, ProB head and ProTwin (included with head)	22
900726	Battery 12V, incl cassette for Pro-7b and Pro-B2	250
100221	Battery only for Pro-7b and Pro-B2	60
900765	Pro-B2/7b UPA Univ. Power Adap. Kit (for 12/24V or 90-240V), incl power cable (for Acute/ComPact)	885
100229	Dust Cover Pro-7 Generators	50
100218	Profoto Battery Charger 2A incl. adapters for EUR, US/JAP, UK and AUS (5hours) included with Pro-7b/ B2 generator and rapid charger (2,5hours) for AcuteB	141
100784	Diffusor for Ring flash	119
<b>Products for powering Pro generators</b>		
102516	Pro/D4 Power Cable UK 5m, for Pro-7, D4, Pro-6, ProPack and PD Magnetic Ballast, grounded	68
100217	ProGas2 Protective device against damaging high voltage. Must be used when powering Pro-7, Pro-6, ProPack, Acute/D4 or ComPact with a 230V petrol electric generator set	365
<b>Flashtubes for Pro heads</b>		
101528	ProHead Flashtube for ProHead, Pro-7 head and PB head, uncoated. Max 4800Ws	246
101532	Single Twin Flashtube for ProTwin, uncoated. Max 4800Ws	289
<b>THE PRO RING FLASH IS NOT USER REPLACEBLE PLEASE, CONTACT YOUR PROFOTO SERVICE STATION</b>		
301501	ProRing Flashtube for ProRing, UV-coated. Max 4800Ws.	326
301502	Flashtube Ringflash UNC	326
301508	ProRing2 Flashtube Ozone free high power quartz flashtube. max 4800Ws	620

<b>Glass Covers for Pro Heads</b>			
<b>Glass covers 75 mm</b>			
101533		ProHead + AcuteD4 head Glass Cover frosted, UV-coated	109
101535		ProHead + AcuteD4 head Glass Cover frosted, X-tra UV-coated	118
101534		ProHead + AcuteD4 head Glass Cover frosted, uncoated	105
101537		ProHead + AcuteD4 head Glass Cover clear, UV-coated	109
101536		ProHead + AcuteD4 head Glass Cover clear, uncoated	109
<b>Glass covers 100 mm</b>			
101518		PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ProHead with 500W, ComPact and ProTungsten, frosted, UV-coat, frosted, UV-coated and for Prohead w. 500W	109
101519		PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ComPact and ProTungsten, frosted, extra UV-coated	118
101520		PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, frosted, uncoated	105
101521		PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, UV-coated	109
101523		PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, uncoated	109
100702		Locking Springs for all Glass Covers above, set of two	4
301503		Glass Cover Plate for Ringflash, set of 6 pieces	11

<b>Modelling Lamps for Pro Heads</b>			
102002		Modelling Lamp 250W/120V, Halogen, Mini-can E11 socket	16
102007		Modelling Lamp 500W/120V, Halogen, Mini-can E11 socket	21
102014		Modelling Lamp 100W/120V, Halogen, Mini-can E11 socket	14
102019		20W 12V Frosted G4 for ProRing2 (10 lamps is used in ProRing2)	2

<b>D4 Generators</b>			
<b>D4-Generators</b>			
900871		D4 1200 Generator incl. Syncro Cable and power cable	4005
900872		D4 2400 Generator incl. Syncro Cable and power cable	4235
900877		D4 4800 Generator incl. Syncro Cable and power cable	5765
<b>D4 R Generators</b>			
900875		D4r 1200 Generator incl. Syncro Cable and Radio receiver EUR (Radio 433 Mhz) and power cable	4420
900876		D4r 2400 Generator incl. Syncro Cable and Radio receiver EUR (Radio 433 MHz) and power cable	4645
900879		D4r 4800 Generator incl. Syncro Cable and Radio receiver (Radio 433 Mhz) and power cable	6055
100281		Dust cover D4 Generator	46
<b>D4 Computer access. Approved for use with D4</b>			
103201		USB Standard Cable 5m	4
103202		USB Active Extension Cable 5m	48
<b>Products for powering D4</b>			
102516		Pro/D4 Power Cable UK 5m, for Pro-7, D4, Pro-6, ProPack and PD Magnetic Ballast, grounded	68
100217		ProGas2 Protective device against damaging high voltage. Must be used when powering Pro-7, Pro-6, ProPack, Acute/D4 or ComPact with a 230V petrol electric generator set	365

<b>Acute2 Generators</b>			
900773		Acute2 1200 Generator incl. Synchro Cable and Power cable	1070
900774		Acute2 2400 Generator incl. Sync Cable and Power cable	1450
<b>Acute2R Generators</b>			
900811		Acute2r 1200 Generator 433MHz EUR Radio incl. Synchro Cable and power cable	1340
900812		Acute2r 2400 Generator 433MHz EUR Radio incl. Synchro Cable and power cable	1725

<b>Acute2 Value Packs</b>			
900771		Acute2 1200 Value Kit	2375
		incl. 1 pce 900773 Acute2/1200 generator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	
900772		Acute2 2400 Value Kit	2725
		incl. 1 pce 900774 Acute2/2400 generator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	
900823		Acute2r 1200 Value Pack	2630
		incl. 900811 Acute2R 1200 genrator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	
900824		Acute2r 2400 Value Pack	2991
		incl. 900812 Acute2R 1200 genrator, 2 pcs 900666 AcuteD4 Head and 1 case 330210	

<b>AcuteB Generators</b>			
900931		AcuteB 600 generator	1205
		Battery operated, incl battery charger 1A and Sync cable	
900933		AcuteB 600 433MHz	1410
		Battery operated, incl battery charger 1A and Sync cable and Radioreceiver EU	

<b>Acute/D4 heads, 230v</b>			
<b>Acute/D4 Heads with UV-coated glass covers</b>			
900666		Acute/D4 head 230V	644
		fan cooled, incl. uncoated Flashtube, 250W Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamp Cable 5m. Max energy= 4800Ws	
900669		Acute/D4 head 230V 500W	658
		fan cooled, incl. uncoated Flashtube, 500W Halogen lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, New Zoom Reflector, Stand Adapter, Transport Cap and Lamp Cable 5m. Max energy = 4800Ws	
330513		Acute/D4 Ring	563
		incl. UV-coated Flashtube, Stand and Camera Adapter and Lamp Cable 5m. Max energy = 9600Ws/minute	
900678		Acute/D4 twin 230V	1130
		fan cooled, incl. two uncoated Flashtubes, , UV-coated removable frosted Glass Cover, Magnum Reflector, Transport Cap, Stand Adapter and split Lamp Cable 4m. Max energy = 2x4800Ws	
330513		Acute/D4 Ring	565
		incl. UV-coated Flashtube, Stand and Camera Adapter and Lamp Cable 5m. Max energy = 9600Ws/minute	
		AcuteB Head -UV coated glass covers	
900935		AcuteB Head UV	426
		For AcuteB only, convection-cooled, incl Flashtube, high efficiency 65W halogen lamp, UV-coated removable frosted Glass Cover stand adapter, transport cap, lamp cable 3m and Disc reflector	
900936		AcuteB Head Zoom UV	446
		For AcuteB only, convection-cooled, incl Flashtube, high efficiency 65W halogen lamp, UV-coated removable frosted Glass Cover stand adapter, transport cap, lamp cable 3m and Zoom reflector	

**DI Heads**

901021	New	D1 250	585
901022	New	D1 250 Air	645
901023	New	D1 500	655
901024	New	D1 500 Air	725
901025	New	D1 1000 Air	995

**DI Kits**

901060	New	D1 Basic Kit 250/250	1215
901050	New	D1 Studio Kit 250/250	1350
901061	New	D1 Basic Kit 250/250 Air	1485
901051	New	D1 Studio Kit 250/250 Air	1625
901062	New	D1 Basic Kit 500/500	1360
901052	New	D1 Studio Kit 500/500	1495
901063	New	D1 Basic Kit 500/500 Air	1630
901053	New	D1 Studio Kit 500/500 Air	1766
901064	New	D1 Basic Kit 1000/1000 Air	2175
901054	New	D1 Studio Kit 1000/1000 Air	2300

**DI Accessories**

901031		Air remote	145
901032		Air Sync	105
103010		Sync cable D1	15
100787		Umbrellas White small	53
100788		Umbrella White medium	66
330211		D1 Double case	66
330212		D1 Kit Case	85
101085		D1 stand	35
101561		Glass cover D1	80
101562		Glass cover D1, -600K	100
101563		Glass cover D1, -300K	100
331523		Flashtube D1 500/1000	85
331522		Flashtube D1 250	75
102071		Modlamp 300W 120V	25
331524		Glass plate, Standard	30
331525		Glass plate D1, Clear	30
331526		Glass plate D1, -300K	45
331527		Glass Plate D1, -600K	45
900850		Grid Kit D1	TBA

## ComPacts

### Compact Flash Units

900881	ComPact 300 230V	285
	300Ws, fan cooled, incl. UV-coated Flashtube, 100W Modelling Lamp, E27, Stand Adapter and Transport Cap and power cable	
900885	ComPact 300 Spec. 300 Ws, fan cooled, incl. UV-coated Flashtube, 150W Halogen Lamp, E27, uncoated removable frosted Glass Cover, Stand Adapter and Transport Cap and power cable	327
900944	ComPact 300 R 433MHz EUR Radio Spec. incl 150W Halogen Lamp UV-coated removable frosted Glass Cover	468
900883	ComPact 600 600 Ws, fan cooled, incl. UV-coated Flashtube, 100W Modelling Lamp, E27, Stand Adapter and Transport Cap and power cable	323
900887	ComPact 600 Spec. 600 Ws, fan cooled, incl. UV-coated Flashtube, 250W Halogen Lamp, E27, uncoated removable frosted Glass Cover, Stand Adapter, Transport Cap and Power Cable	380
900945	ComPact 600 R 433MHz EUR Radio Spec. incl 250W Halogen Lamp UV-coated removable frosted Glass Cover	519
900889	ComPact 1200 1200 Ws fan cooled, incl. uncoated Flashtube, 500 W Halogen Lamp, Mini-can E11 socket, UV-coated removable frosted Glass Cover, Stand Adapter and Transport Cap and power cable	544
900946	ComPact 1200 R 433MHz EUR Radio Spec. incl 500W Halogen Lamp UV-coated removable frosted Glass Cover	683
<b>Accessories for Acute and ComPact</b>		
330601	Lamp Extension Cable 5m for Acute and Acute2 Head (Yellow marking)	130
100708	Transport Protective Cap for flash heads	7
100291	Profoto Adapter 85W for AcuteB for running the mod.lamp via mains power supply	143
100290	Profoto Battery Charger Kit 1A Standard charger (5 hours) for AcuteB 600 generator incl. adapters for EUR, US/JAP, UK and AUS	68
330208	Profoto AcuteB Kit Bag incl. Strap. For 1 AcuteB, 1 AcuteB head, extra battery and battery charger (41x13x24cm) with dividers	66
100218	Profoto Battery Charger 2A incl. adapters for EUR, US/JAP, UK and AUS (5hours) included with Pro-7b/ B2 generator and rapid charger (2,5hours) for AcuteB	141
100222	Battery for AcuteB 12V 5Ah	23
900934	Acute B Battery, incl. Cassette	132
330605	Lampadapter E11 / Gy 6.35	30
<b>Products for powering Acute and ComPact</b>		
102517	A/CP Power Cable UK 5m, for Acute, PD575 and ComPact, grounded	46
100217	ProGas2 Protective device against damaging high voltage. Must be used when powering Pro-7, Pro-6, ProPack, Acute/D4 or ComPact with a 230V petrol electric generator set	365
<b>Flashtubes for Acute and ComPact</b>		
331507	ComPact 300 Flashtube for ComPact,UV-coated. Max 300Ws	96
331508	ComPact 300 Flashtube for ComPact, uncoated. Max 300Ws	96
331511	ComPact 600 Flashtube for ComPactPlus, UV-coated. Max 600Ws	119
331510	ComPact 600 Flashtube for ComPactPlus, uncoated. Max 600Ws	119
331514	CPP + Acute2 Flashtube for ComPactPlus 1200 and Acute2 head, uv-reduced. Max 4800Ws	225
331515	Acute/D4 Twin Flashtube for Acute/D4 twin head, uv-reduced. Max 4800Ws	275
331521	Flashtube for AcuteB Head. Max 600Ws	119
331517	Acute/D4 ring Flashtube for Acute2 Ring, UV-coated. Max 3000Ws	326
331518	Acute/D4 Ring UNC Flashtube	326

**THE ACUTE/D4 RING FLASHTUBE IS NOT USER REPLACEBLE  
PLEASE, CONTACT YOUR PROFOTO SERVICE STATION**

### Glass Covers for Acute and ComPact

<b>75 mm</b>		
101533	ProHead + AcuteD4 head Glass Cover frosted, UV-coated	109
101535	ProHead + AcuteD4 head Glass Cover frosted, X-tra UV-coated	118
101534	ProHead + AcuteD4 head Glass Cover frosted, uncoated	105
101537	ProHead + AcuteD4 head Glass Cover clear, UV-coated	109
101536	ProHead + AcuteD4 head Glass Cover clear, uncoated	109
<b>100 mm</b>		
101518	PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ProHead with 500W, ComPact and ProTungsten, frosted, UV-coat, frosted, UV-coated and for Prohead w. 500W	109
101519	PB Glass Cover for ProTwin, PB Head and AcuteTwin Head, Acute Head, ComPact and ProTungsten, frosted, extra UV-coated	118
101520	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, frosted, uncoated	105
101521	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, UV-coated	109
101523	PB Glass Cover for ProTwin, PB Head and Acute2 Twin Head, Acute Head, ComPact and ProTungsten, clear, uncoated	109
100702	Locking Springs for all Glass Covers above, set of two	4
301503	Glass Cover Plate for Ringflash, set of 6 pieces	11
<b>Modelling Lamps for Acute and ComPact</b>		
<b>230V</b>		
102008	Modelling Lamp 100W/240V, E27 socket	2
102010	Modelling lamp 150W/240V, Halogen, E27 socket	16
102012	Modelling Lamp 250W/240V, Halogen, E27 socket	16
102013	Modelling Lamp 250W/240V, Halogen, Mini-can E11 socket	14
102015	Modelling Lamp 500W/240V, Halogen, Mini-can, E11 socket	21
<b>120V</b>		
102021	150W 120V Halogen Mod.lamp E27	16
102014	Modelling Lamp 100W/120V, Halogen, Mini-can E11 socket	14
102011	Modelling Lamp 150W/120V, Halogen, E27 socket	16
102016	Modelling Lamp 250W/120V, Halogen, E27 socket	18
102002	Modelling Lamp 250W/120V, Halogen, Mini-can E11 socket	16
102007	Modelling Lamp 500W/120V, Halogen, Mini-can E11 socket	21
	Low voltage	
102018	65W 12V Halogen GY 6,35 For AcuteB Head	7

## Syncro Devices

### Sync cables

103001		Sync Cable 5m	23
103002		Sync Extension Cable 5m	23
103005		Sync Interconnection Cable	68
		for connecting flash generators with the sync cord, opto-isolated, 5m	
103006		Double Sync Inlet	11

### Profoto Air

901031	2 [New]	Profoto Air Remote No cables included.	145
901032	2 [New]	Profoto Air Sync No cables included.	105
901035	2 [New]	Profoto Air Sync Kit	200
901034	2 [New]	Profoto Air USB	745

### Profoto Air accessories

103011	2 [New]	Male 3,5mm miniphone to PC	5
103012	2 [New]	Male 3,5mm miniphone to Canon remote connector.	20
103013	2 [New]	Male 3,5mm miniphone to Nikon remote connector.	20
103014	2 [New]	Male 3,5mm miniphone to Hasselblad remote connector.	39
103015	2 [New]	Male 3,5mm miniphone and hotshoe mount to male 1/4 phono	119
103016	2 [New]	1/4 Phono male to 3,5mm miniphone male	5
103017	2 [New]	USB 2.0 Extension Cable, Type-A Male to	4
103018	2 [New]	Sync adapter 1/4 Phono male to miniphone	5
103019	2 [New]	Plastic Hotshoe Grip	5

### LPA Pocket Wizard transmitter

100232		PocketWizard MultiMAX T/R (CE Version)	177
100286		PocketWizard Plus2 T/R (CE Version)	127

### LPA Pocket Wizard accessories

100241		MPCF Female to Miniphone Male Adapter	8
100243		PC1 PC to Miniphone Cable, 1' Straight	9
100244		PC10 PC to Miniphone Cable, 10' Straight	13
100245		PC16 PC to Miniphone Cable, 16' Coiled	29
100246		PC5 PC to Miniphone Cable, 5' Coiled	14
100247		PC5H Hasselblad Long Tip PC to Miniphone 5' C	35
100248		PC5N Nikon Locking PC to Miniphone Cable 5' C	35
100250		MA1 Elinchrom to Miniphone Cable, 16" Straight	84
100253		MH1 Household to Miniphone Cable, 16" Straig	24
100254		MH10 Household to Miniphone Cable, 10' Straight	34
100255		MH3 Household to Miniphone Cable, 3' Straight	33
100256		MM1 Miniphone to Miniphone Cord, 16" Straight	11
100257		MM6 Miniphone to Miniphone Cord, 6' Straight	13
100258		MMX Miniphone to Miniphone Ext., 10' St	15
100259		MP1 1/4" Phono to Miniphone Cable, 16" Straight	11
100260		MP3 1/4" Phono to Miniphone Cable, 3' Straight	11
100263		SMM1 Subminiphone Male to Miniphone, 16	11
100264		SMM3 Subminiphone Male to Miniphone, 3' Strai	13
100265		CM-N3 Canon N3 Motor Drive Cord, 3' Straight	58
100266		CM-N3-P Canon N3 Motor Drive Cord, Pre-release	75
100267		CM-T3 Canon T3 Motor Drive Cord, 3' Straight	64
100268		CM-T3-P Canon T3 Motor Drive Cord, Pre-Releasabl	114
100273		N90M3 Nikon 10 Pin Motor Drive Cord, 3' Straight	75
100274		N90M3-P Nikon 10 Pin Motor Drive Cord, Pre-Release	95
100275		NM3 Nikon 2 Pin Motor Drive Cord, 3' Straigh	73
100276		NM3-P Nikon 2 Pin Motor Drive Cord, Pre-Releas	101
100279		RZM3 Mamiya RZ Motor Drive Cord, 3' Coiled	143
100280		RZM3-P Mamiya RZ Motor Drive Cord, Pre-Releasab	143
100288		CM-E3 Hasselblad H Motor Drive Cord, 1m	15
100289		CM-E3-P Hasselblad H Motor Drive Cord Pre-Releaseable	49
100255		MH3 Household to Miniphone Cable, 3' Straight	33

## Light Shaping Tools

Multispot		
100733	MultiSpot 120V	1414
	80 mm Fresnel lens, max 1200 Ws and 8 * 1200/min 300 W lamp.	
100773	MultiSpot 230V	1414
	80 mm Fresnel lens, max 1200 Ws and 8 * 1200/min 300 W lamp.	
100744	BarnDoor for MultiSpot	141
100775	Mounting adapt. for Dedolight	226
100746	Projection att. for Dedolight (Incl. mounting adapt. 100775)	572
100747	Shutter kit (4pcs) for Projection att.	41
100748	Iris Diaphragm for Projection att.	93
100749	Slide Holder for Projection att.	52
100745	Mask. Kit for Multi / Zoom-Spot	
100750	Clear fresnel lens 80mm for MultiSpot	71
101570	Flashtube for MultiSpot	355
102070	Mod. lamp 230V/300W GX/GY 6,35 Frosted	25
102071	Mod. lamp 120V/300W GX/GY 6,35 Frosted	25
ZoomSpot		
100734	ZoomSpot 117V	4210
	Incl. turning mechanism, 2 pin spot sizes and shutters	
100764	ZoomSpot 230V	4210
	Incl. turning mechanism, pin spot sizes and shutters	
100774	Iris Diaphragm for ZoomSpot	262
	Pro focus and the old ProZoom spot	
101571	Flashtube for ZoomSpot	533
100694	Pin Spot set	34
	six different sizes	
100695	Pattern Holder	39
	for gobos size A with outer diam. 100mm	
100745	Mask. Kit for Multi / Zoom-Spot	
102071	Mod. lamp 120V/300W GX/GY 6,35 Frosted	25
102072	Mod. lamp 230V/650W GX/GY 6,35	25
StripLights		
100735	Profoto Strip Short 117V	1515
	0,7 m long and 10 cm wide, 1 flashtude cable	
100765	Profoto Strip Short 230V	1515
	0,7 m long and 10 cm wide, 1 flashtude cable	
100742	BarnDoor for StripLight S (1 pair)	307
100751	Diffusing cover for StripLight S (std)	164
100752	Clear cover for StripLight S (Optional)	182
100780	Striplight Case Small (104x25x24cm) for StripLight S w/ Barndoors	519
100736	Profoto Strip Medium 117V	2361
	1,3 m long, 10 cm wide, 2 flashtube cables	
100766	Profoto Strip Medium 230V	2361
	0,7 m long and 10 cm wide, 1 flashtude cable	
100743	BarnDoor for StripLight M (1 pair)	321
100753	Diffusing cover for StripLight M (std)	198
100754	Clear cover for StripLight M (Optional)	230
100781	Striplight Case Medium (164x25x24cm) for StripLight M w/ Barndoors	694
100737	Profoto Strip Large 117V	3105
	1,9 m long, 10 cm wide, 3 flash tube cables	
100767	Profoto Strip Large 230V	3105
	1,9 m long, 10 cm wide, 3 flash tube cables	
100757	BarnDoor for StripLight L (1 pair)	326
100755	Diffusing cover for StripLight L (std)	218
100756	Clear cover for StripLight L (Optional)	257
100782	Striplight Case Large (231x25x24cm) for StripLight L w/ Barndoors	975
101578	Flashtube StripLight & StillLight NEW	503
102073	Mod. lamp 12V/20W G4 Socket for 120V markets (osram type 52) (10 per section/flashtube)	2
102074	Mod. lamp 24V/20W G4 Socket for 230V markets (osram type 52) (10 per section/Flashtube)	2

## Light Shaping Tools - Continued

<b>Stick Light</b>		
100738	StickLight	1013
	Max power 2400 Ws and max 4x2400/min	
101573	Flashtube for StickLight	285
<b>Still Lights</b>		
100739	StillLight XL 117V	3860
	60x80 cm, 3 flash tubes and 3 cables	
100769	StillLight XL 230V	3860
100776	BarnDoor for StillLight XL (1 only)	175
100740	StillLight XXL 117V	7295
	80x120 cm, 8 flashtubes and 4 cables	
100770	StillLight XXL 230V	7295
100777	BarnDoor for StillLight XXL (1 only)	180
101578	Flashtube StripLight & StillLight NEW	503
102075	Mod. lamp 230V/150W Ba15d StillLight XL has 3x3 lamps x 150W = 1350W	14
102076	Mod. lamp 120V/150W Ba15d StillLight XL has 3x3 lamps x 150W = 1350W	21
102077	Mod. lamp 120V/75W Ba15d StillLight XXL has 4x6 lamps x 75W = 1800W	11
102078	Mod. lamp 230V/75W Ba15d StillLight XXL has 4x6 lamps x 75W = 1800W	11
<b>Fresnel Spot</b>		
100741	FresnelSpot 117V	2887
	175 mm lens, adj. light angle 10-50 degrees, 300w lamp	
100771	FresnelSpot 230V 175 mm lens, adj. light angle 10-50 degrees, 300w lamp	2887
100758	BarnDoor for FresnelSpot	205
100762	Filter Holder for FresnelSpot	61
102071	Mod. lamp 120V/300W GX/GY 6,35 Frosted	25
102070	Mod. lamp 230V/300W GX/GY 6,35 Frosted	25
102072	Mod. lamp 230V/650W GX/GY 6,35	25
901501	Assembly set incl flashtube and glass cover	954
<b>Easystands</b>		
101090	EasyStand M	736
101091	EasyStand L	1678
	With counterweight for zero gravity control max 15 kg.	
101092	EasyStand XL With counterweight for zero gravity control max 22 kg.	2621
101094	EasyStand XXL Electric	4559

## Reflectors

100654		Disc Reflector for umbrella	48
100705		7" Grid Reflector	73
100634		Honeycomb Grid 10°	62
100635		Honeycomb Grid 5°	70
100610		Standard Zoom Reflector 65-110°	70
100785		Zoom Reflector (New)	94
100786		Zoom-Cap (New)	12
100671		Barn-door 4-sided, incl. holder for Grids 10 06 05, 10 06 06, 10 06 46	116
100701		Filterholder for gelatine filter size 40x40cm	71
900649		Grid- and Filterholder incl. Filter Cassette and Diffusions Filter	109
100604		Filter Cassette for Grid- & Filterholder 900649	23
100619		Diffusions Filter for Grid & Filterholder 90 06 49	4
100606		Honeycomb Grid 20° for Grid- & Filterholder 90 06 49 and Barn-door 10 06 71 and New Zoom Reflector 10 07 84	62
100605		Honeycomb Grid 10° for Grid- & Filterholder 90 06 49 and Barn-door 10 06 71 and New Zoom Reflector 10 07 84	70
100646		Honeycomb Grid 5° for Grid- & Filterholder 90 06 49 and Barn-door 10 06 71 and New Zoom Reflector 10 07 84	87
900362		Grid/Grid & Filterholder Kit incl. 90 06 49, 10 06 05, 10 06 06 and 10 06 46	307
900849		Grid Kit 5, 10 & 20	219
100651		Snoot for Grid & Filterholder 90 06 49 Magnum, Tele-Zoom, Narrow-Beam Reflectors and accessories	73
100624		Magnum reflector 337 mm	150
100617		Narrow-Beam Reflector 32°, 337mm	152
100712		Tele-Zoom Reflector 337 mm	321
100618		Honeycomb Grid 10°, 337mm	125
100670		ProTube	387
100715		Barndoors, 4-sided for 337mm Reflectors.	401
<b>Softlight reflectors and accessories</b>			
100607		Softlight Reflector Silver 26°	175
100608		Softlight Reflector White 65° -the "Beauty Dish"	175
100609		Honeycomb Grid 25°	160
900633		Glass Kit incl. frosted front Glass and fixation parts	68
100704		Glass only, frosted	41
<b>Narrow-Beam Travel Reflector</b>			
100714		Diffusor for Softlight reflector (-1/3 f-stop)	29
100713		Narrow-Beam Travel Reflector	109
<b>Widezoom Reflector and accessories</b>			
100711		Widezoom Reflector	235
100636		Honeycomb Grid 10° for Widezoom Reflector Reflectors for Ringflash	125
100642		Softlight Reflector for Ringflash only	187
100643		Close-up Reflector for Ringflash only	187
100717		WideSoft Reflector ProRing	187
100784		Diffusor for Ring flash ProBox	119
900561		ProBox incl. Table Stand 310mm	431
100718		HardBox (we recommend using the clear glass cover with the HardBox)	469
100673		ProGlobe incl. Mounting Ring for Pro flash heads	294
100674		ProGlobe only, incl. clips for Mounting Ring 10 06 60 (for Profoto softbox)	153

## Reflectors - continued

Profoto Giant reflectors and diffusors			
100633		Adapter Plate	62
		144mm, for custom made reflectors	
100314	2 [New]	Profoto Giant White 150	695
100315	2 [New]	Profoto Giant White 210	775
100316	2 [New]	Profoto Giant Silver 150	775
100317	2 [New]	Profoto Giant Silver 210	960
100318	2 [New]	Profoto Giant Reflector 180	2540
100319	2 [New]	Profoto Giant Reflector 240	3650
100320	2 [New]	Profoto Giant Reflector 300	4795
254518		Diffusor 1 f-stop Giant 150	96
254519		Diffusor 1 f-stop Giant 210	130
254585		Diffusor 1 f-stop Giant 180	125
254531		Diffusor 1 f-stop Giant 240	162
254587		Diffusor 1 f-stop Giant 300	280
254522		Diffusor 1/3 f-stop Giant 150	139
254523		Diffusor 1/3 f-stop Giant 210	187
254586		Diffusor 1/3 f-stop Giant 180	205
254533		Diffusor 1/3 f-stop Giant 240	259
254588		Diffusor 1/3 f-stop Giant 300	323
254566		7' RingMask	182
		* REFLECTORS/ACCESSORIES CAN NOT BE USED WITH PRODAYLIGHT AND PROTUNGSTEN HEAD	
Umbrellas			
100611		Umbrella White Small, 0,85m diameter	53
100612		Umbrella White Medium, 1,05m diameter	66
100719		Umbrella White Large 1,30m diameter	137
100613		Umbrella Translucent Small, 0,85m diameter	43
100614		Umbrella Translucent Medium, 1,05m diameter	48
100615		Umbrella Silver Small 0,85m diameter	77
100616		Umbrella Silver Medium, 1,05m diameter	94
100720		Umbrella Silver Large, 1,30m diameter	171

## Profoto Softbox

254576	2 [New]	Softbox 1x1,3' RF	190
254525		Profoto Softbox 2x2RF	195
		Diffusers, size 60x60cm	
254526		Profoto Softbox 2x3RF	205
		Diffusers, size 60x90cm	
254527		Profoto Softbox 3x4RF	250
		Diffusers, size 90x120cm	
254577	2 [New]	Softbox 3x3' RF	240
254528		Profoto Softbox 3'OCTA	345
		Diffusers, diam. 90cm	
254579	2 [New]	Softbox 2,3' Octa Gold	352
254578	2 [New]	Softbox 2,3' Octa	333
254524		Profoto Softbox 1x4RF	223
		Diffusers, size 30x120cm	
254529		Profoto Softbox 5'OCTA	449
		Diffusers, diam. 150cm w/o speed ring	
254534		Softbox 1x6' RF Diffusers w/o speed ring	250
254535		Softbox 4x6' RF	353
254536		Softbox 1x3' RF	195
254537		Flat front diff. 2x2'	29
254538		Flat front diff. 2x3'	41
254539		Flat front diff. 3x4'	50
254540		Flat front diff. 4x6'	66
254541		Flat front diff. 1x3'	29
254542		Flat front diff. 1x4'	29
254543		Flat front diff. 1x6'	30
254544		Flat front diff. 3'Octa	55
254546		Strip Mask 7cm for 1x4'	50
254545		Flat front diff. 5'Octa	68
254547		Strip Mask 7cm for 1x3'	50
254565		Strip Mask 10cm for 1x6'	52
254548		Strip Mask 20cm for 1x3'	50
254549		Strip Mask 7cm for 2x3'	68
254550		Strip Mask 15cm for 2x3'	68
254551		Strip Mask 10cm for 3x4'	80
254552		Strip Mask 35cm for 3x4'	80
254555		Grid 40 for Softbox 2x3'	189
254553		Dia Mask 80cm for 3x4'	80
254556		Grid Kit 40 for Softbox 3x4' Metal frame to get flat	396
254558		Grid Kit 40 for Softbox 1x6' Metal frame to get flat	328
254557		Grid Kit 40 for Softbox 4x6' Metal frame to get flat	478
254560		Grid 30 for Softbox 2x3'	287
254559		Grid 30 for Softbox 1x3'	234
254554		Grid 40 for Softbox 1x4'	168



<b>Speed rings</b>			
100660		Profoto speedring	87
		incl. mounting ring	
100721		Speed Ring for Bron Pulso	59
100722		Speed Ring for Balcar	59
100723		Speed Ring for Bowens	59
100724		Speed Ring for Elinchrom	59
100725		Speed Ring for Multiblitz Profilux	59
100726		Speed Ring for Multiblitz Variolite	59
100727		Speed Ring for Hensel Expert	59
100732		Speed Ring for Bron Visatec	59
<b>Spotlight attachments and their accessories</b>			
100789	New	Fresnel small	495
100790	New	Spot small	750
100791	New	Gobos for spot small	TBA
100706		Profresnel Spotlight fresnel lens - 300 mm in diameter, 42 degr. light angle	943
100707		Barn-door	216
		4-sided revolving	
		* REFLECTORS/ACCESSORIES CANNOT BE USED WITH PRODA LIGHT AND PROTUNGSTEN HEAD	
<b>Light Shaping Kits</b>			
901071		Starter LST Kit	415
901072		Small portrait LST kit	537
901073		Packshot LST kit	965

<b>Mola</b>			
<b>Mola reflectors</b>			
100401	2 [New]	MOLA Demi Reflector 22,0"	295
100402	2 [New]	MOLA Setti Reflector 28,0"	630
100403	2 [New]	MOLA Euro Reflector 33,5"	733
100404	2 [New]	MOLA Mantti Reflector 43,5"	875
100405	2 [New]	MOLA Demi Silver Reflector 22,0"	308
100406	2 [New]	MOLA Setti Silver Reflector 28,0"	643
100407	2 [New]	MOLA Euro Silver Reflector 33,5"	746
100408	2 [New]	MOLA Mantti Silver Reflector 43,5"	887
<b>Mola Accessories</b>			
100411	2 [New]	MOLA Opal Glass All Units	66
100412	2 [New]	MOLA Demi Diffuser	51
100413	2 [New]	MOLA Setti Diffuser	58
100414	2 [New]	MOLA Euro Diffuser	61
100415	2 [New]	MOLA Mantti Diffuser	70
100416	2 [New]	MOLA Hardware All Units	73
100417	2 [New]	MOLA Perfor. Alum. Diffuser All Units	42
100418	2 [New]	MOLA Demi Mesh Diffuser	58
100419	2 [New]	MOLA Setti Mesh Diffuser	66
100420	2 [New]	MOLA Euro Mesh Diffuser	73
100421	2 [New]	MOLA Mantti Mesh Diffuser	80
100633		Adapter Plate	62
		144mm, for custom made reflectors	
		Use adapterplate 100633 to fit Profoto heads	

## Miscellaneous

Stands and Stand Adapters		
101075	Telescopic Pole	77
	for attachment to Pro-7a, Pro-7s, Pro-6, ProPack Flash Generator, 68/250cm, with Profoto snap-lock	
101067	Telescopic Stand Mini-Pro	86
	included in Acute Travel Kits, 67/240cm, with Profoto snap-l	
101003	Telescopic Stand Compact	61
	with fixing screws, 84/250cm, with Profoto snap-lock	
101004	Telescopic Stand Maxi	111
	extra robust, 94/335cm, with Profoto snap-lock	
101016	4-edged Stand Adapter	9
	(3/8" thread) for boom attachment	
101079	Adapter OH	11
	16mm diameter (5/8" thread) for over-head mounting	
	Standard with all ProHeads	
331001	Stand attachment for ComPacts	68
Cases and Bags		
6631010	Compact Hard Case for one Acute2 and two heads or 3 ComPact's (300 or 600 Ws) (inside measurements are 59x19, 5x41)	180
330210	Soft Case (100x20x30 cm) with dividers and shoulder strap, for 2 ComPacts or 1 Acute2 generator and 2 heads + 2 stands and 2 umbrellas. Can also hold 4 flash heads.	78
340202	Pro-B Protective Bag	137
100281	Dust cover D4 Generator	46
100780	Striplight Case Small (104x25x24cm) for StripLight S w/ Barndoors	519
100781	Striplight Case Medium (164x25x24cm) for StripLight M w/ Barndoors	694
100782	Striplight Case Large (231x25x24cm) for StripLight L w/ Barndoors	975
340203	Pro-7 Generator Case 27x19x41 cm for Pro-8/7 gen only, or 7b/B2 w/ 1 Head or 2 batteries (divider 34 02 07 recommended)	280
340204	Pro Generator/Head Case 39x25x41 cm, Pro-8/7 + 1 Head	328
340205	Pro Generator/Head Case 59x20x41 cm, D4 + 4 Heads (no reflectors) or 2 complete Heads w/ Zoom refl.	346
340206	Acute generator/head Case (56x20x32cm) for Acute2 + 2 Heads	369
340207	Divider for two Pro-7b/B2 batteries	23
330208	Profoto AcuteB Kit Bag incl. Strap. For 1 AcuteB, 1 AcuteB head, extra battery and battery charger (41x13x24cm) with dividers	66
330209	Profoto Shoulder Strap "Separately"	4

## Glass items for all products

Flashtubes			
101528		ProHead Flashtube	246
		for ProHead, Pro-7 head and PB head, uncoated. Max 4800Ws	
101532		Single Twin Flashtube	289
		for ProTwin, uncoated. Max 4800Ws	
331507		ComPact 300 Flashtube	96
		for ComPact,UV-coated. Max 300Ws	
331508		ComPact 300 Flashtube	96
		for ComPact, uncoated. Max 300Ws	
331511		ComPact 600 Flashtube	119
		for ComPactPlus, UV-coated. Max 600Ws	
331510		ComPact 600 Flashtube	119
		for ComPactPlus, uncoated. Max 600Ws	
331514		CPP + Acute2 Flashtube	225
		for ComPactPlus 1200 and Acute2 head, uv-reduced. Max 4800Ws	
331515		Acute/D4 Twin Flashtube	275
		for Acute/D4 twin head, uv-reduced. Max 4800Ws	
301501		ProRing Flashtube	326
		for ProRing, UV-coated. Max 4800Ws.	
301502		Flashtube Ringflash UNC	326
301508		ProRing2 Flashtube	620
		Ozone free high power quartz flashtube. max 4800Ws	
331517		Acute/D4 ring Flashtube	326
		for Acute2 Ring, UV-coated. Max 3000Ws	
331518		Acute/D4 Ring UNC Flashtube	326
		THE PRO RING AND ACUTE/D4 RING FLASH IS NOT USER REPLACEBLE	
		PLEASE, CONTACT YOUR PROFOTO SERVICE STATION	
Glass Covers			
101533		ProHead + AcuteD4 head Glass Cover	109
		frosted, UV-coated	
101535		ProHead + AcuteD4 head Glass Cover	118
		frosted, X-tra UV-coated	
101534		ProHead + AcuteD4 head Glass Cover	105
		frosted, uncoated	
101537		ProHead + AcuteD4 head Glass Cover	109
		clear, UV-coated	
101536		ProHead + AcuteD4 head Glass Cover	109
		clear, uncoated	
101518		PB Glass Cover	109
		for ProTwin, PB Head and AcuteTwin Head, Acute Head, ProHead	
		with 500W, ComPact and ProTungsten, frosted, UV-coat,	
		frosted, UV-coated and for Prohead w. 500W	
101519		PB Glass Cover	118
		for ProTwin, PB Head and AcuteTwin Head, Acute Head, ComPact	
		and ProTungsten, frosted, extra UV-coated	
101520		PB Glass Cover	105
		for ProTwin, PB Head and Acute2 Twin Head, Acute Head,	
		ComPact and ProTungsten, frosted, uncoated	
101521		PB Glass Cover	109
		for ProTwin, PB Head and Acute2 Twin Head, Acute Head,	
		ComPact and ProTungsten, clear, UV-coated	
101523		PB Glass Cover	109
		for ProTwin, PB Head and Acute2 Twin Head, Acute Head,	
		ComPact and ProTungsten, clear, uncoated	
282010		PD Glass Cover UV-SAFE	137
		for ProDaylight 1200 Head, incl. aluminium socket, clear, UV	
		safe design and coating. Must be used when lighting people,	
		animals and UV-sensitive material	
100702		Locking Springs	4
		for all Glass Covers above, set of two	
101522		PD Glass Cover UV-SAFE	130
		for ProDaylight 575 Head	
301503		Glass Cover Plate	11
		for Ringflash, set of 6 pieces	
Modelling Lamps			
102008		Modelling Lamp 100W/240V, E27 socket	2
102010		Modelling lamp 150W/240V, Halogen, E27 socket	16
102012		Modelling Lamp 250W/240V, Halogen, E27 socket	16
102013		Modelling Lamp 250W/240V, Halogen, Mini-can E11 socket	14
102015		Modelling Lamp 500W/240V, Halogen, Mini-can, E11 socket	21
102021		150W 120V Halogen Mod.lamp E27	16
102014		Modelling Lamp 100W/120V, Halogen, Mini-can E11 socket	14
102011		Modelling Lamp 150W/120V, Halogen, E27 socket	16
102016		Modelling Lamp 250W/120V, Halogen, E27 socket	18
102002		Modelling Lamp 250W/120V, Halogen, Mini-can E11 socket	16
102007		Modelling Lamp 500W/120V, Halogen, Mini-can E11 socket	21
102019		20W 12V Frosted G4 for ProRing2 (10 lamps is used in	2
		ProRing2)	

102018	65W 12V Halogen GY 6,35 For AcuteB Head	7
--------	---	---

<b>Equipment for Continuous light</b>		
<b>ProTungsten(Tungsten-Halogen light)</b>		
900562	ProTungsten 230V	387
	incl. uncoated removable frosted Glass Cover, Stand Adapter, 2-pin G6,35 socket, Transport Cap and Power Cable 5m(EUR).	
	Excl. Halogen lamp and reflector. Max power = 1000W	
900910	ProTungsten Value Kit	945
	Incl. 2 Protungsten 900562, 1 Zoom Reflector 100610, 1 Barndoor 100671, 1 Softbox 2x2 254525 and Speedring 100660	